

Tilburg University

The theory of wage differentials

van de Gevel, A.J.W.

Publication date:
1986

[Link to publication in Tilburg University Research Portal](#)

Citation for published version (APA):

van de Gevel, A. J. W. (1986). *The theory of wage differentials: A correction*. (Research memorandum / Tilburg University, Department of Economics; Vol. FEW 214). Unknown Publisher.

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

Take down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

7826
CBM

R

1986-214
7626

1986


214



* C I N O O 3 6 5 *

faculteit der economische wetenschappen

RESEARCH MEMORANDUM



TILBURG UNIVERSITY

DEPARTMENT OF ECONOMICS

Postbus 90153 - 5000 LE Tilburg

Netherlands

FEW
214



The theory of wage differentials:
a correction

337

A..J.W. van de Gevel

The authoritative article by Bhagwati and Srinivasan (1971) tried to prove that when there is a distortionary wage differential between sectors the production possibility curve might have both convex and concave stretches. This was based on the sign of the second derivative. However, their complex equation (15) and their next ones as special cases contain a mistake. This paper presents the correct outcomes. The Bhagwati-Srinivasan conclusions are affected in the following way.

1. The conditions under which the frontier is convex at one specialisation point and concave at the other are somewhat more intricate than those stated by Bhagwati and Srinivasan. A general classification of the conditions leading to different combinations of curvatures at the specialisation points is presented.
2. In the special case of CES production functions, the production possibility frontier will be convex under less stringent condition than those stated by Bhagwati and Srinivasan.

The correct equation for the second derivative is:

$$\begin{aligned}
 \frac{d^2 Q_1}{dQ_2^2} = & \frac{-w(R_2 - R_1)^2}{D^2} \left[\frac{N(\gamma R_1 - R_2)}{(w + R_1)(\gamma w + R_2)} + \frac{(\gamma - 1)R_1 R_2 f_1^1 f_1^2}{D} \right. \\
 & \times \left\{ \{ (R_2 - R)\sigma_1 R_1 + (R - R_1)\sigma_2 R_2 \} \{ \sigma_1 (R_2 - R) + \sigma_2 (R - R_1) \} \right. \\
 & \left. \left. - w(R_2 - R_1)(R_2 - R)(R - R_1) \left\{ \sigma_2 \frac{d\sigma_1}{dw} - \sigma_1 \frac{d\sigma_2}{dw} \right\} \right\} \right. \\
 & \left. \left. - \frac{-(\gamma - 1)f_1^1 f_1^2}{D} \left\{ \sigma_1 R_1 (R_2 - R) + \sigma_2 R_2 (R - R_1) \right\} \sigma_1 \sigma_2 (R_2 - R_1) (R_1 R_2 - wR) \right] \right. \\
 & \left. (15) \right]
 \end{aligned}$$

This result influences the outcomes for the cases of complete specialisation. In the case of complete specialisation in Q_1 the result is:

$$\frac{d^2 Q_1}{dP_2^2} = \frac{-w(R_1 - R)^2}{D^2} \left[\frac{N(\gamma R - R_2)}{(w + R)(\gamma w + R_2)} \right. \\ \left. + \frac{(\gamma - 1)}{D} f_1^1 f_1^2 \sigma_1^2 (R_2 - R)^2 R^2 \left\{ R_2(1 - \sigma_2) + \sigma_2 w \right\} \right]$$

where $N = -f_1^1 \left\{ (w + R_2)(R_2 - R) \sigma_1 R \right\} \gtrless 0$ as $R_1 \gtrless R \gtrless R_2$

and $D = f_1^2 \left\{ (\gamma w + R_2)(R_2 - R) \sigma_1 R \right\} \lesseqgtr 0$ as $R_1 \gtrless R \gtrless R_2$

For the case of complete specialisation in Q_2 the result is:

$$\frac{d^2 Q_1}{dQ_2^2} = \frac{-w(R - R_1)^2}{D^2} \left[\frac{N(\gamma R_1 - R)}{(w + R_1)(\gamma w + R)} \right. \\ \left. + \frac{(\gamma - 1)}{D} f_1^1 f_1^2 \sigma_2^2 (R - R_1)^2 R^2 \left\{ R_1(1 - \sigma_1) + \sigma_1 w \right\} \right]$$

where $N = -f_1^1 \left\{ (w + R_1)(R - R_1) \sigma_2 R \right\} \gtrless 0$ as $R_1 \gtrless R \gtrless R_2$

and $D = f_1^2 \left\{ (\gamma w + R_1)(R - R_1) \sigma_2 R \right\} \lesseqgtr 0$ as $R_1 \gtrless R \gtrless R_2$

These revised outcomes have certain consequences for the conditions under which the second derivative in the neighbourhood of the points of specialisation is negative or positive. These conditions differ

from those of Bhagwati and Srinivasan especially with respect to $\sigma_i (i = 1, 2)$

In case $R_1 > R > R_2$, so that $N > 0$ and $D < 0$, the second derivative for complete specialisation in Q_1 is negative, i.e. concavity, if both terms in square brackets are positive. This holds if $\gamma R > R_2$, what is certain if $\gamma > 1$ and is possible even if $\gamma < 1$, and either if $\gamma > 1$ and $\sigma_2 > 1$ or if $\gamma < 1$ and $\sigma_2 < 1$. For complete specialisation in Q_2 the second derivative is positive, i.e. convexity, if both terms in square brackets are negative. This holds if $\gamma R_1 < R$, that requires that $\gamma < 1$, and either if $\gamma > 1$ and $\sigma_1 < 1$ or if $\gamma < 1$ and $\sigma_1 > 1$. Thus there is a concavity for complete specialisation in Q_1 and convexity for complete specialisation in Q_2 if $\gamma < 1$, $\gamma R > R_2$, $\sigma_2 < 1$, $\gamma R_1 < R$ and $\sigma_1 > 1$.

In case $R_2 > R > R_1$, so that $N < 0$ and $D > 0$, the second derivative for complete specialisation in Q_1 is negative if both terms in square brackets are positive. This holds if $\gamma R < R_2$, what is certain if $\gamma < 1$ and is possible even if $\gamma > 1$, and either if $\gamma > 1$ and $\sigma_2 < 1$ or if $\gamma < 1$ and $\sigma_2 > 1$. For complete specialisation in Q_2 the second derivative is positive if both terms in square brackets are negative. This holds if $\gamma R_1 > R$ what requires that $\gamma > 1$, and either if $\gamma > 1$ and $\sigma_1 > 1$ or if $\gamma < 1$ and $\sigma_1 < 1$. Thus due to the requirement that $\gamma > 1$. There is a possibility of concavity for complete specialisation in Q_1 and convexity for complete specialisation in Q_2 if $\gamma > 1$, $\gamma R < R_2$, $\sigma_2 < 1$, $\gamma R_1 > R$ and $\sigma_1 > 1$.

In order to save space we summarize the different possibilities by presenting next table.

Table 1

	$R_1 > R > R_2$ $(N > 0, D < 0)$	$R_2 > R > R_1$ $(N < 0, D > 0)$
Concavity in Q_1 and Convexity in Q_2	$\gamma < 1 \quad \gamma R > R_2 \quad \sigma_2 < 1$ $\gamma R_1 < R \quad \sigma_1 > 1$	$\gamma > 1 \quad \gamma R < R_2 \quad \sigma_2 < 1$ $\gamma R_1 > R \quad \sigma_1 > 1$
Convexity in Q_1 and Concavity in Q_2	$\gamma < 1 \quad \gamma R < R_2 \quad \sigma_2 > 1$ $\gamma R_1 > R \quad \sigma_1 < 1$	$\gamma > 1 \quad \gamma R > R_2 \quad \sigma_2 > 1$ $\gamma R_1 < R \quad \sigma_1 < 1$
Concavity in Q_1 and Concavity in Q_2	$\gamma > 1 \quad \gamma R > R_2 \quad \sigma_2 > 1$ $\gamma R_1 > R \quad \sigma_1 > 1$	$\gamma < 1 \quad \gamma R < R_2 \quad \sigma_2 > 1$ $\gamma R_1 < R \quad \sigma_1 > 1$
Convexity in Q_1 and Convexity in Q_2	$\gamma < 1 \quad \gamma R < R_2 \quad \sigma_2 > 1$ $\gamma R_1 < R \quad \sigma_1 > 1$	$\gamma > 1 \quad \gamma R > R_2 \quad \sigma_2 > 1$ $\gamma R_1 > R \quad \sigma_1 > 1$

Finally Bhagwati and Srinivasan consider the case in which the elasticities of substitution in both sectors are equal and constant. The revised second derivative should read as:

$$\frac{d^2 Q_1}{d Q_2^2} = \frac{-w(R_2 - R_1)^2}{D^2} \left[\frac{N (\gamma R_1 - R_2)}{(w + R_1)(\gamma w + R_2)} + \frac{(\gamma - 1)}{D} f_1^1 f_1^2 (R_2 - R_2)^2 \sigma R \left\{ R_1 R_2^{\sigma(1 - \sigma)} + \sigma^2 w R \right\} \right]$$

where $N = -f_1^1 \sigma \{(R_2 - R_1)(R_1 R_2 + wR)\} \gtrless 0$ as $R_1 \gtrless R_2$

and $D = f_1^2 \sigma \{(R_2 - R_1)(R_1 R_2 + \gamma wR)\} \lesseqgtr 0$ as $R_1 \gtrless R_2$

In case $R_1 > R > R_2$ throughout convexity is possible if $\gamma R_1 < R_2$, what requires that $\gamma < 1$, and if $\sigma > 1$. In case $R_2 > R > R_1$ throughout convexity is possible if $\gamma R_1 > R_2$, what requires that $\gamma > 1$, and if $\sigma > 1$.

For the CES function $f^i = [\alpha_i R_i^{-\epsilon} + (1 - \alpha_i)]^{-\frac{1}{\epsilon}}$ the revised second derivative becomes:

$$\frac{d^2 Q_1}{d Q_2^2} = \frac{-w(\eta - 1)^3 R_1^3 f_1^1}{D^2} \left[\frac{(\eta - \gamma) R_1 \sigma (wR + \eta R_1^2)}{(w + R_1)(\gamma w + \eta R_1)} + \frac{(\gamma - 1) R \left\{ R_1^2 \eta \sigma (1 - \sigma) + \sigma^2 w R \right\}}{(\gamma w R + \eta R_1^2)} \right] \quad (16)$$

If $\alpha_1 = \alpha_2$ and $\sigma < 1$ the second derivative is positive because either $1 > \eta > \gamma$ or $\gamma > \eta > 1$. Thus the production possibility curve is indeed convex throughout, although the condition on the

elasticity of substitution is less stringent than suggested by Bhagwati and Srinivasan.

References:

J.N. Bhagwati and T.N. Srinivasan, 1971, The theory of wage differentials: production response and factor price equalisation, Journal of International Economics, 1, 19-35.

IN 1985 REEDS VERSCHENEN

- 168 T.M. Doup, A.J.J. Talman
A continuous deformation algorithm on the product space of unit
simplices
- 169 P.A. Bekker
A note on the identification of restricted factor loading matrices
- 170 J.H.M. Donders, A.M. van Nunen
Economische politiek in een twee-sectoren-model
- 171 L.H.M. Bosch, W.A.M. de Lange
Shift work in health care
- 172 B.B. van der Genugten
Asymptotic Normality of Least Squares Estimators in Autoregressive
Linear Regression Models
- 173 R.J. de Groof
Geïsoleerde versus gecoördineerde economische politiek in een twee-
regiomodel
- 174 G. van der Laan, A.J.J. Talman
Adjustment processes for finding economic equilibria
- 175 B.R. Meijboom
Horizontal mixed decomposition
- 176 F. van der Ploeg, A.J. de Zeeuw
Non-cooperative strategies for dynamic policy games and the problem
of time inconsistency: a comment
- 177 B.R. Meijboom
A two-level planning procedure with respect to make-or-buy deci-
sions, including cost allocations
- 178 N.J. de Beer
Voorspelprestaties van het Centraal Planbureau in de periode 1953
t/m 1980
- 178a N.J. de Beer
BIJLAGEN bij Voorspelprestaties van het Centraal Planbureau in de
periode 1953 t/m 1980
- 179 R.J.M. Alessie, A. Kapteyn, W.H.J. de Freytas
De invloed van demografische factoren en inkomen op consumptieve
uitgaven
- 180 P. Kooreman, A. Kapteyn
Estimation of a game theoretic model of household labor supply
- 181 A.J. de Zeeuw, A.C. Meijdam
On Expectations, Information and Dynamic Game Equilibria

- 182 Cristina Pennavaja
Periodization approaches of capitalist development.
A critical survey
- 183 J.P.C. Kleijnen, G.L.J. Kloppenburg and F.L. Meeuwssen
Testing the mean of an asymmetric population: Johnson's modified T
test revisited
- 184 M.O. Nijkamp, A.M. van Nunen
Freia versus Vintaf, een analyse
- 185 A.H.M. Gerards
Homomorphisms of graphs to odd cycles
- 186 P. Bekker, A. Kapteyn, T. Wansbeek
Consistent sets of estimates for regressions with correlated or
uncorrelated measurement errors in arbitrary subsets of all
variables
- 187 P. Bekker, J. de Leeuw
The rank of reduced dispersion matrices
- 188 A.J. de Zeeuw, F. van der Ploeg
Consistency of conjectures and reactions: a critique
- 189 E.N. Kertzman
Belastingstructuur en privatisering
- 190 J.P.C. Kleijnen
Simulation with too many factors: review of random and group-
screening designs
- 191 J.P.C. Kleijnen
A Scenario for Sequential Experimentation
- 192 A. Dortmans
De loonvergelijking
Afwenteling van collectieve lasten door loontrekkers?
- 193 R. Heuts, J. van Lieshout, K. Baken
The quality of some approximation formulas in a continuous review
inventory model
- 194 J.P.C. Kleijnen
Analyzing simulation experiments with common random numbers
- 195 P.M. Kort
Optimal dynamic investment policy under financial restrictions and
adjustment costs
- 196 A.H. van den Elzen, G. van der Laan, A.J.J. Talman
Adjustment processes for finding equilibria on the simplotope

- 197 J.P.C. Kleijnen
Variance heterogeneity in experimental design
- 198 J.P.C. Kleijnen
Selecting random number seeds in practice
- 199 J.P.C. Kleijnen
Regression analysis of simulation experiments: functional software specification
- 200 G. van der Laan and A.J.J. Talman
An algorithm for the linear complementarity problem with upper and lower bounds
- 201 P. Kooreman
Alternative specification tests for Tobit and related models

IN 1986 REEDS VERSCHENEN

- 202 J.H.F. Schilderlinck
Interregional Structure of the European Community. Part III
- 203 Antoon van den Elzen and Dolf Talman
A new strategy-adjustment process for computing a Nash equilibrium
in a noncooperative more-person game
- 204 Jan Vingerhoets
Fabrication of copper and copper semis in developing countries.
A review of evidence and opportunities.
- 205 R. Heuts, J. v. Lieshout, K. Baken
An inventory model: what is the influence of the shape of the lead
time demand distribution?
- 206 A. v. Soest, P. Kooreman
A Microeconomic Analysis of Vacation Behavior
- 207 F. Boekema, A. Nagelkerke
Labour Relations, Networks, Job-creation and Regional Development
A view to the consequences of technological change
- 208 R. Alessie, A. Kapteyn
Habit Formation and Interdependent Preferences in the Almost Ideal
Demand System
- 209 T. Wansbeek, A. Kapteyn
Estimation of the error components model with incomplete panels
- 210 A.L. Hempenius
The relation between dividends and profits
- 211 J. Kriens, J.Th. van Lieshout
A generalisation and some properties of Markowitz' portfolio
selection method
- 212 Jack P.C. Kleijnen and Charles R. Standridge
Experimental design and regression analysis in simulation: an FMS
case study
- 213 T.M. Doup, A.H. van den Elzen and A.J.J. Talman
Simplicial algorithms for solving the non-linear complementarity
problem on the simplotope

Bibliotheek K. U. Brabant



17 000 01059732 7